

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	11	((Brusotti near3 Stefano) (Coda near3 Zabetta near3 Francesco)).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 20:20
S2	2	((Brusotti near3 Stefano) (Coda near3 Zabetta near3 Francesco)).in. AND intrusion. clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 20:21
S3	149	726/23.cds. AND (IDS intrusion near3 (detect\$4 prevent\$4))).ab. AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 20:31
S10	23	((IDS (intrusion near3 (detect \$4 prevent\$4))).ab. AND ((test\$4 replicat\$4 clon\$4 simulat\$4) with block\$4 with (package communicat\$4 connect\$4)) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 20:43
S11	17	((IDS (intrusion near3 (detect \$4 prevent\$4))).clm. AND ((test\$4 replicat\$4 clon\$4 simulat\$4) with (detect\$4 examin\$6 check\$4 determin \$4) with (packet communicat \$4 connect\$4) with ((drop\$4 block\$4 allow\$4) near4 (session communicat\$4 connect\$4 packet))) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 20:54
S12	6	"726"/\$.cds. AND (IDS intrusion near3 (detect\$4 prevent\$4))).ab. AND ((test \$4 replicat\$4 clon\$4 simulat \$4) with block\$4 with (packete communicat\$4 connect\$4 stream)) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 20:54

S13	10	"726"/\$.cds. AND (IDS (intrusion near3 (detect\$4 prevent\$4))).ab. AND (((test \$4 replicat\$4 clon\$4 simulat \$4) with block\$4 with (packet communicat\$4 connect\$4 stream)) AND (@ad<"20031030"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 20:54
S14	4	726/23.cds. AND (IDS (intrusion near3 (detect\$4 prevent\$4))).ab. AND (((test \$4 replicat\$4 clon\$4 simulat \$4) with block\$4 with (packet communicat\$4 connect\$4 stream)) AND (@ad<"20031030"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 20:54
S15	10	"726"/\$.cds. AND (IDS (intrusion near3 (detect\$4 prevent\$4))).ab. AND (((test \$4 replicat\$4 clon\$4 simulat \$4) with block\$4 with (packet communicat\$4 connect\$4 stream)) AND (@ad<"20031030"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 20:54
S16	4	"713"/\$.cds. AND (IDS (intrusion near3 (detect\$4 prevent\$4))).ab. AND (((test \$4 replicat\$4 clon\$4 simulat \$4) with block\$4 with (packet communicat\$4 connect\$4 stream)) AND (@ad<"20031030"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 20:54
S17	2	"370"/\$.cds. AND (IDS (intrusion near3 (detect\$4 prevent\$4))).ab. AND (((test \$4 replicat\$4 clon\$4 simulat \$4) with block\$4 with (packet communicat\$4 connect\$4 stream)) AND (@ad<"20031030"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 20:54
S20	68	(IDS (intrusion near3 (detect \$4 prevent\$4))).ab. AND (((simulat\$4 test\$4) (copy\$4 clon\$4)) near5 (packet message) same ((drop\$4 block\$4 forward\$4 re\$2direct \$4 allow\$4) near5 (message packet session connect\$4))) AND (@ad<"20031030"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 21:08

S27	10	((IDS (intrusion near3 (detect \$4 prevent\$4)) ((virus worm attack\$4 hack\$4 malicious mal\$2ware\$2 ) near4 (detect \$4 scan\$4) ))).ab. AND ((test \$4 replicat\$4 clon\$4 simulat \$4) with (detect\$4 examin\$6 check\$4 determin\$4) with (packet communicat\$4 connect\$4) with ((drop\$4 block\$4 allow\$4) near4 (session communicat\$4 connect\$4 packet)))) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 13:42
S28	20	((IDS (intrusion near3 (detect \$4 prevent\$4)) ((virus worm attack\$4 hack\$4 malicious mal\$2ware\$2 ) near4 (detect \$4 scan\$4) ))).ab. AND ((test \$4 replicat\$4 clon\$4 simulat \$4) with (detect\$4 examin\$6 check\$4 determin\$4) with (packet communicat\$4 connect\$4) same ((drop\$4 block\$4 allow\$4) near4 (session communicat\$4 connect\$4 packet)))) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/22 13:59
S29	14	((IDS (intrusion near3 (detect \$4 prevent\$4)) ((virus worm attack\$4 hack\$4 malicious mal\$2ware\$2 ) near4 (detect \$4 scan\$4) ))).ab. AND ((test \$4 replicat\$4 clon\$4 simulat \$4) with (detect\$4 examin\$6 check\$4 determin\$4) with (packet communicat\$4 connect\$4) same ((drop\$4 block\$4 allow\$4) near4 (session communicat\$4 connect\$4 packet)))) AND ((simulat\$4 test\$4 replicat\$4 duplicat\$4 clon\$4 copy\$4 copied) near6 (system machine device packet message) with (virus worm attack\$4 hack\$4 malicious mal\$2ware\$2 DoS IDS firewall) ) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/22 14:02

S30	14	(IDS (intrusion near3 (detect \$4 prevent\$4)) ((virus worm attack\$4 hack\$4 malicious mal\$2ware\$2 ) near4 (detect \$4 scan\$4) )) .clm. AND ((test \$4 replicat\$4 clon\$4 simulat \$4) with (detect\$4 examin\$6 check\$4 determin\$4) with (packet communicat\$4 connect\$4) same ((drop\$4 block\$4 allow\$4) near4 (session communicat\$4 connect\$4 packet))) AND ((simulat\$4 test\$4 replicat\$4 duplicat\$4 clon\$4 copy\$4 copied) near6 (system machine device packet message) with (virus worm attack\$4 hack\$4 malicious mal\$2ware\$2 DoS IDS firewall) ) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/22 14:03
S31	4	(IDS (intrusion near3 (detect \$4 prevent\$4)) ((virus worm attack\$4 hack\$4 malicious mal\$2ware\$2 ) near4 (detect \$4 scan\$4) )) .clm. AND ((test \$4 replicat\$4 clon\$4 simulat \$4) with (detect\$4 examin\$6 check\$4 determin\$4) with (packet communicat\$4 connect\$4) same ((drop\$4 block\$4 allow\$4) near4 (session communicat\$4 connect\$4 packet))) AND ((simulat\$4 test\$4 replicat\$4 duplicat\$4 clon\$4) near6 (system machine device) with (threat\$4 virus worm attack\$4 hack\$4 malicious mal\$2ware\$2 DoS IDS firewall) ) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/22 14:12

S32	20	((IDS (intrusion near3 (detect\$4 prevent\$4)) ((virus worm attack\$4 hack\$4 malicious mal\$2ware\$2 ) near4 (detect\$4 scan\$4) )) AND ((test\$4 replicat\$4 clon\$4 simulat\$4) with (detect\$4 examin\$6 check\$4 determin\$4) with (packet communicat\$4 connect\$4) same ((drop\$4 block\$4 allow\$4) near4 (session communicat\$4 connect\$4 packet)))) AND ((simulat\$4 test\$4 replicat\$4 duplicat\$4 clon\$4) near6 (system machine device) with (threat\$4 virus worm attack\$4 hack\$4 malicious mal\$2ware\$2 DoS IDS firewall) ) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/22 14:14
S34	20	((simulat\$4 replicat\$4 duplicat\$4 clon\$4 test\$4) near6 (system machine device server host computer PC) with ((IDS (intrusion near3 (detect\$4 prevent\$4)) ((scan\$4 detect\$4) near4 (virus worm threat\$4 attack malicious hack\$4 DoS)))) AND ((drop\$4 block\$4 forward\$4 re\$2direct\$4 allow\$4) near5 (message packet session connect\$4) with (virus worm threat\$4 attack malicious hack\$4 DoS)) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 08:54
S35	28	((simulat\$4 replicat\$4 duplicat\$4 clon\$4 test\$4) near6 (system machine device server host computer PC) with ((IDS (intrusion near3 (detect\$4 prevent\$4)) ((scan\$4 detect\$4) near4 (virus worm threat\$4 attack malicious hack\$4 DoS)))) AND ((drop\$4 terminat\$4 block\$4 forward\$4 re\$2direct\$4 allow\$4) near5 (message packet session connect\$4) with (virus worm threat\$4 attack malicious hack\$4 DoS)) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 08:54

S36	4	"6279113".pn. "5557742".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 09:18
S37	52	((simulat\$4 replicat\$4 duplicat\$4 clon\$4 test\$4) near6 (system machine device server host computer PC) with ((IDS (intrusion near3 (detect\$4 prevent\$4)) ((scan\$4 detect\$4) near4 (virus worm threat\$4 attack malicious hack\$4 DoS)))) AND ((direct\$4 re\$2direct\$4) near7 (test\$4 simulat\$4) near5 (system server machine host client computer device PC)) AND ((drop\$4 block\$4 forward\$4 re\$2direct\$4 allow\$4) near5 (message packet session connect\$4)) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 09:23
S38	66	((simulat\$4 replicat\$4 duplicat\$4 clon\$4 test\$4) near6 (system machine device server host computer PC) with ((IDS (intrusion near3 (detect\$4 prevent\$4)) ((scan\$4 detect\$4) near4 (virus worm threat\$4 attack malicious hack\$4 DoS)))) AND ((direct\$4 re\$2direct\$4) near5 (test\$4 simulat\$4 duplicat\$4 replicat\$4) near5 (system server machine host client computer device PC)) AND ((drop\$4 block\$4 forward\$4 re\$2direct\$4 allow \$4) near5 (message packet session connect\$4)) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 09:24
S39	9	("5557742"   "6279113"   "6408391"   "6513122").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 09:35

S40	4	(baehr near3 geoffrey).in. AND (packet near2 filter\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 09:57
S48	8	("5832208" "6088803" "5960170" "6205551").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 10:02
S49	126	((IDS (intrusion near3 (detect \$4 prevent\$4))).ab. AND (((simulat\$4 test\$4) (copy\$4 clon\$4)) near5 (packet message) same (drop\$4 block\$4 forward\$4 re\$2direct \$4 allow\$4) ) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 10:10
S50	2	(ramsey near3 jon).in. AND security.ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 10:14
S51	109	((updat\$4 add\$4) near4 (virus near3 signature)) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 14:33
S52	32	((updat\$4 add\$4) near4 (virus near3 signature) with (host client PC computer)) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 14:33
S53	3	((updat\$4 add\$4) near4 (virus near3 signature) with (host client PC computer) same pattern) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 14:35
S54	135	((IDS (intrusion near3 (detect \$4 prevent\$4))).ab. AND (((simulat\$4 test\$4) (copy\$4 clon\$4 replicat\$4)) near5 (packet message) same (drop \$4 block\$4 forward\$4 re \$2direct\$4 allow\$4) ) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/13 15:51

S55	27	((IDS (intrusion near3 (detect \$4 prevent\$4))) .ab. AND (((simulat\$4 test\$4) (copy\$4 clon\$4 replicat\$4)) near5 (machine host network PC computer laptop phone device) with (packet message) same (drop\$4 block\$4 forward\$4 re\$2direct\$4 allow\$4) ) AND (@ad< "20031030"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/13 15:52
S56	614	((IDS (intrusion near3 (detect \$4 prevent\$4))) AND (((simulat\$4 test\$4) (copy\$4 clon\$4 replicat\$4)) near5 (machine host network PC computer laptop phone device)).ab. AND ((packet message) with (drop\$4 block \$4 forward\$4 re\$2direct\$4 allow\$4) ) AND (@ad< "20031030"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/13 15:56
S57	3	((IDS (intrusion near3 (detect \$4 prevent\$4))) AND ((simulat\$4 test\$4) with (copy\$4 clon\$4 replicat\$4) near5 (system machine host network PC computer laptop phone device)).ab. AND ((packet message communicat\$4) with (simulat \$4 test\$4) with (drop\$4 block \$4 forward\$4 re\$2direct\$4 allow\$4) ) AND (@ad< "20031030"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/13 15:58
S59	4	((IDS (intrusion near3 (detect \$4 prevent\$4))) AND ((simulat\$4 test\$4) with (copy\$4 clon\$4 replicat\$4) near5 (system machine host network PC computer laptop phone device)).dm. AND ((packet message communicat\$4) with (simulat \$4 test\$4) with (drop\$4 block \$4 forward\$4 re\$2direct\$4 allow\$4) ) AND (@ad< "20031030"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/14 11:52



S60	6	((IDS (intrusion near3 (detect \$4 prevent\$4))) AND ((simulat\$4 test\$4) with (copy\$4 clon\$4 replicat\$4 duplicat\$4) near5 (system machine host network PC computer laptop phone device)).clm. AND ((packet message communicat\$4) with (simulat\$4 test\$4) with (drop\$4 block\$4 forward\$4 re \$2direct\$4 allow\$4) ) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/14 11:52
S61	55	((IDS (intrusion near3 (detect \$4 prevent\$4))) AND ((simulat\$4 test\$4) with (copy\$4 clon\$4 replicat\$4 duplicat\$4) near5 (system machine host network PC computer laptop phone device)) AND ((packet message communicat\$4) with (simulat\$4 test\$4) with (drop\$4 block\$4 forward\$4 re \$2direct\$4 allow\$4) ) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/14 11:53
S62	24	((IDS (intrusion near3 (detect \$4 prevent\$4)) ((detect\$4 prevent\$4 scan\$4) near5 (virus threat malicious attack \$4 vulnerab\$6 worm malware))) with (simulat\$4 replicat\$4 clon\$4)).ab. AND ((drop\$4 block\$4 forward\$4 discard\$4 re\$2direct\$4 allow \$4) near5 (message packet session connect\$4)) AND (@ad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 15:29
S63	109	(honeypot) AND ((detect\$4 scan\$4 determin\$4 identify \$4) near5 (threat virus malicious attack\$4 malware worm vulnerab\$6)) AND (@ad< "20031030" @rlad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 15:37

S64	89	((honeypot) AND ((detect\$4 scan\$4 determin\$4 identify\$4) near5 (threat virus malicious attack\$4 malware worm vulnerabl\$6)) AND ((drop\$4 block\$4 forward\$4 re\$2direct\$4 allow\$4 discard\$4) near6 (packet message communication)) AND (@ad<"20031030" @rlad<"20031030"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 15:38
S65	57	((honeypot decoy) with (inspect\$4 detect\$4 scan\$4 determin\$4 identify\$4) with (threat virus malicious attack\$4 malware worm vulnerabl\$6)) AND ((drop\$4 block\$4 forward\$4 re\$2direct\$4 allow\$4 discard\$4) near6 (packet message communication)) AND (@ad<"20031030" @rlad<"20031030"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:00
S66	183	((honeypot decoy simulat\$4 ((test\$4 duplicat\$4 copy\$4 replicat\$4 clon\$3) near4 (system unit machine server host cluster))) with (inspect\$4 detect\$4 scan\$4 determin\$4 identify\$4) with (threat virus malicious attack\$4 malware worm vulnerabl\$6)) AND ((drop\$4 block\$4 forward\$4 re\$2direct\$4 allow\$4 discard\$4) near6 (packet message communication)) AND (@ad<"20031030" @rlad<"20031030"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 17:27
S67	60	((honeypot decoy simulat\$4 ((test\$4 duplicat\$4 copy\$4 replicat\$4 clon\$3) near4 (system unit machine server host cluster))) with (inspect\$4 detect\$4 scan\$4 determin\$4 identify\$4) with (threat virus malicious attack\$4 malware worm vulnerabl\$6)) AND ((drop\$4 block\$4 forward\$4 re\$2direct\$4 allow\$4 discard\$4) near6 (packet message communication)) AND ((drop\$4 block\$4 forward\$4 re\$2direct\$4 allow\$4 discard\$4) near6 (packet message communication)). dlm. AND(@ad<"20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 17:29

S68	206	((honeypot decoy simulat\$4 ((test\$4 duplicat\$4 copy\$4 replicat\$4 clon\$3) near6 (system unit machine server host cluster))) with (inspect \$4 detect\$4 scan\$4 determin \$4 identify\$4) with (threat virus malicious attack\$4 malware worm vulnerabl\$6)) AND ((drop\$4 block\$4 forward\$4 re\$2direct\$4 allow \$4 discard\$4) near6 (packet message communication)) AND (@ad<"20031030" @rlad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 20:28
S69	307	((honeypot decoy simulat\$4 ((test\$4 duplicat\$4 copy\$4 replicat\$4 clon\$3) near6 (system unit machine server host cluster))) with (inspect \$4 detect\$4 scan\$4 determin \$4 identify\$4) with (threat virus malicious attack\$4 malware worm vulnerabl\$6)) AND ((drop\$4 block\$4 forward\$4 re\$2direct\$4 allow \$4 discard\$4) near6 (packet message communication data information)) AND ((inspect\$4 detect\$4 scan\$4 determin\$4 identify\$4) with (packet message communication data information) with (threat virus malicious attack\$4 malware worm vulnerabl\$6)) AND (@ad<"20031030" @rlad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 20:31
S70	301	((honeypot decoy simulat\$3 ((test\$3 duplicat\$3 copy\$3 replicat\$3 clon\$3) near6 (system unit machine server host cluster))) with (inspect \$4 detect\$4 scan\$4 determin \$4 identify\$4) with (threat virus malicious attack\$3 malware worm vulnerabl\$6)) AND ((drop\$3 block\$3 forward\$3 re\$2direct\$3 allow \$3 discard\$3) near6 (packet message communication data information)) AND ((inspect\$3 detect\$3 scan\$4 determin\$3 identify\$3) with	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 20:34

		(packet message communication data information) with (threat virus malicious attack\$4 malware worm vulnerabl\$6)) AND (@ad<"20031030" @rlad<"20031030")				
S71	77	((honeypot decoy simulat\$3 ((test\$3 duplicat\$3 copy\$3 replicat\$3 clon\$3) near6 (system unit machine server host cluster))) with (inspect \$4 detect\$4 scan\$4 determin \$4 identify\$4) with (threat virus malicious attack\$3 malware worm vulnerabl\$6)) AND ((drop\$3 block\$3 forward\$3 re\$2direct\$3 allow \$3 discard\$3) near6 (packet message communication data information)) AND ((inspect\$3 detect\$3 scan\$4 determin\$3 identify\$3) with (packet message communication data information) with (threat virus malicious attack\$4 malware worm vulnerabl\$6)) AND ((drop\$3 block\$3 forward\$3 re\$2direct\$3 allow \$3 discard\$3) near6 (packet message communication data information)).clm. AND (@ad<"20031030" @rlad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 20:36
S72	60	((honeypot decoy simulat\$4 ((test\$4 duplicat\$4 copy\$4 replicat\$4 clon\$3) near4 (system unit machine server host cluster))) with (inspect \$4 detect\$4 scan\$4 determin \$4 identify\$4) with (threat virus malicious attack\$4 malware worm vulnerabl\$6)) AND ((drop\$4 block\$4 forward\$4 re\$2direct\$4 allow \$4 discard\$4) near6 (packet message communication)) AND ((drop\$4 block\$4 forward\$4 re\$2direct\$4 allow \$4 discard\$4) near6 (packet message communication)).clm. AND(@ad<"20031030" @rlad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 20:37

S73	24	S71 not S72	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 20:37
S74	224	S70 not S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 21:22
S75	2	"5907696".PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 22:09
S76	44	((honeypot ((test\$3 duplicat \$3 copy\$3 replicat\$3 don\$3 decoy simulat\$3 imitat\$3 vicarious) near6 (system unit machine server host cluster))) with ((inspect\$4 detect\$4 scan\$4 determin\$4 identify\$4) near5 (threat virus malicious attack\$3 malware worm vulnerabl \$6))) AND ((drop\$3 block\$3 forward\$3 re\$2direct\$3 allow \$3 discard\$3) near6 (packet message communication data information) with (virus attack\$3 normal anomal\$2 abnormal\$2 defect\$3 affect\$3 worm threat\$3 malicious malware)) AND ((inspect\$3 detect\$3 scan\$4 determin\$3 identify\$3) with (packet message communication data information) with (threat virus malicious attack \$4 malware worm vulnerabl \$6)) AND ((drop\$3 block\$3 forward\$3 re\$2direct\$3 allow \$3 discard\$3) near6 (packet message communication data information)).c.m. AND (@ad< "20031030" @rlad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 22:59

S77	378	((scan\$4 detect\$3 check\$3 determin\$5 exam\$5) near5 (virus worm threat attack\$3 malicious vulnerab\$6 amomal \$4 malware) with (message communication packaet email e?mail) same (drop\$4 discard\$3 delect\$4 block\$3 ignor\$3 terminat\$4)) AND (@ad<"20031030" @rlad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/23 06:44
S78	30	((scan\$4 detect\$3 check\$3 determin\$5 exam\$5) near5 (virus worm threat attack\$3 malicious vulnerab\$6 amomal \$4 malware) with (message communication packaet email e?mail) same (drop\$4 discard\$3 delect\$4 block\$3 ignor\$3 terminat\$4)) AND ((scan\$4 detect\$3 check\$3 determin\$5 exam\$5) near5 (virus worm threat attack\$3 malicious vulnerab\$6 amomal \$4 malware) with (message communication packaet email e?mail) same (drop\$4 discard\$3 delect\$4 block\$3 ignor\$3 terminat\$4)).clm. AND (@ad<"20031030" @rlad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/23 06:45
S79	54	((scan\$4 detect\$3 check\$3 determin\$5 exam\$5) near5 (virus worm threat attack\$3 malicious vulnerab\$6 amomal \$4 malware) with (message communication packaet email e?mail)).ab. AND ((scan \$4 detect\$3 check\$3 determin\$5 exam\$5) near5 (virus worm threat attack\$3 malicious vulnerab\$6 amomal \$4 malware) with (message communication packaet email e?mail) same (drop\$4 discard\$3 delect\$4 block\$3 ignor\$3 terminat\$4)) AND (@ad<"20031030" @rlad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/23 07:03

S80	110	((scan\$4 detect\$3 check\$3 determin\$5 exam\$5) near5 (virus worm threat attack\$3 malicious vulnerab\$6 amomal\$4 malware) with (message communication packaet email e?mail)).ab. AND ((scan\$4 detect\$3 check\$3 determin\$5 exam\$5) near5 (virus worm threat attack\$3 malicious vulnerab\$6 amomal\$4 malware) with (message communication packaet email e?mail) same (drop\$4 discard\$3 delect\$4 block\$3 ignor\$3 terminat\$4 divert\$4\$3direct\$4 forward\$4 pass\$3)) AND (@ad<"20031030"@rlad<"20031030"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/23 07:04
S81	56	S80 not S79	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/23 07:05
S82	51	S79 not S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/23 07:05
S83	48	("4577313"   "5550984"   "5559883"   "5590285"   "5606668"   "5623601").PN. OR ("5878231").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/10/23 09:07
S84	92	((scan\$4 detect\$3 check\$3 determin\$5 exam\$5) near5 (virus worm threat attack\$3 malicious vulnerab\$6 amomal\$4 malware) with (message communication packet) same (drop\$4 discard\$3 delect\$4 block\$3 ignor\$3 terminat\$4)) AND ((decoy duplicat\$3 replicat\$3 clon\$3 simulat\$3 vicarius imitat\$3 mimic\$2) near5 (device system host server machine computer PC) same (virus worm threat attack\$3 malicious vulnerab\$6 amomal\$4 malware)) AND (@ad<"20031030"@rlad<"20031030"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/23 09:15

S85	8	((scan\$4 detect\$3 check\$3 determin\$5 exam\$5) near5 (virus worm threat attack\$3 malicious vulnerab\$6 amomal\$4 malware) with (message data communication packet)) AND ((drop\$4 discard\$3 delect\$4 block\$3 ignor\$3 terminat\$4) near5 (packet message communication session) same (virus worm threat attack\$3 malicious vulnerab\$6 amomal\$4 malware)) AND ((direct\$3 divert\$4 forward\$4 transmit\$4) near5 (packet message communication) with ((decoy duplicat\$3 replicat\$3 clon\$3 simulat\$3 vicarius imitat\$3 mimic\$2) near5 (device system host server machine computer PC))) ) AND (@ad< "20031030" @rlad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/23 09:21
S86	8	((scan\$4 detect\$3 check\$3 determin\$5 exam\$5) near5 (virus worm threat attack\$3 malicious vulnerab\$6 amomal\$4 malware) with (message data communication packet)) AND ((drop\$4 discard\$3 delect\$4 block\$3 ignor\$3 terminat\$4) near5 (packet message communication session) same (virus worm threat attack\$3 malicious vulnerab\$6 amomal\$4 malware)) AND ((direct\$3 divert\$4 forward\$4 transmit\$4) near5 (packet message communication data request ) with ((decoy duplicat\$3 replicat\$3 clon\$3 simulat\$3 vicarius imitat\$3 mimic\$2) near5 (device system host server machine computer PC))) ) AND (@ad< "20031030" @rlad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/23 09:21



S87	10	((scan\$4 detect\$3 check\$3 determin\$5 exam\$5) near5 (virus worm threat attack\$3 malicious vulnerab\$6 amomal \$4 malware) with (message data communication packet)) AND ((drop\$4 discard\$3 delect\$4 block\$3 ignor\$3 terminat\$4) near5 (packet message communication session data request) same (virus worm threat attack\$3 malicious vulnerab\$6 amomal \$4 malware)) AND (((\$3direct \$3 divert\$4 forward\$4 transmit\$4) near5 (packet message communication data request ) with ((decoy duplicat\$3 replicat\$3 clon\$3 simulat\$3 vicarius imitat\$3 mimic\$2) near5 (device system host server machine computer PC)) ) AND (@ad< "20031030" @rlad< "20031030"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/23 09:21
S88	71	((scan\$4 detect\$3 check\$3 determin\$5 exam\$5) near5 (virus worm threat attack\$3 malicious vulnerab\$6 amomal \$4 malware) with (message data communication packet)) AND ((drop\$4 discard\$3 delect\$4 block\$3 ignor\$3 terminat\$4) near5 (packet message communication session data request) same (virus worm threat attack\$3 malicious vulnerab\$6 amomal \$4 malware)) AND (((\$3direct \$3 divert\$4 forward\$4 transmit\$4) near5 (packet message communication data request ) with ((decoy duplicat\$3 replicat\$3 clon\$3 simulat\$3 vicarius imitat\$3 mimic\$2 proxy) near5 (device system host server machine computer PC)) ) AND (@ad< "20031030" @rlad< "20031030"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/23 09:32

S89	102	((scan\$4 detect\$3 check\$3 determin\$5 exam\$5 identifi\$4 pars\$3) with (virus worm threat attack\$3 malicious vulnerab\$6 amomal\$4 malware) with (message data communication packet)) AND ((drop\$4 discard\$3 delect\$4 block\$3 ignor\$3 terminat\$4) near5 (packet message communication session data request) same (virus worm threat attack\$3 malicious vulnerab\$6 amomal\$4 malware)) AND ((\$direct\$3 divert\$4 forward\$4 transmit\$4) near5 (packet message communication data request ) with ((decoy duplicat\$3 replicat\$3 clon\$3 simulat\$3 vicarius imitat\$3 mimic\$2 proxy) near5 (device system host server machine computer PC)) ) AND (@ad<"20031030"@rlad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/23 09:33
S90	110	((scan\$4 detect\$3 check\$3 determin\$5 exam\$5 identifi\$4 pars\$3) with (virus worm threat attack\$3 malicious vulnerab\$6 amomal\$4 malware) with (message data communication packet)) AND ((drop\$4 discard\$3 delect\$4 block\$3 ignor\$3 terminat\$4) near5 (packet message communication session data request) same (virus worm threat attack\$3 malicious vulnerab\$6 amomal\$4 malware)) AND ((\$direct\$3 divert\$4 forward\$4 transmit\$4) near5 (packet message communication data request ) with ((decoy duplicat\$3 replicat\$3 clon\$3 simulat\$3 vicarius imitat\$3 mimic\$2 proxy test) near5 (device system host server machine computer PC)) ) AND (@ad<"20031030"@rlad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/23 09:35

S91	323	((scan\$4 detect\$3 check\$3 determin\$5 exam\$5 identif\$4 pars\$3) with (virus worm threat attack\$3 malicious vulnerab\$6 amomal\$4 malware) with (message data communication packet)) AND ((\$3direct\$3 divert\$4 forward\$4 transmit\$4) near5 (packet message communication data request ) with ((decoy duplicat\$3 replicat\$3 clon\$3 simulat\$3 vicarius imitat\$3 mimic\$2 proxy test) near5 (device system host server machine computer PC)) ) AND (@ad< "20031030" @rlad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/23 10:05
S92	46	((scan\$4 detect\$3 check\$3 determin\$5 exam\$5 identif\$4 pars\$3) with (virus worm threat attack\$3 malicious vulnerab\$6 amomal\$4 malware) with (message data communication packet)). clm. AND ((\$3direct\$3 divert\$4 forward\$4 transmit\$4) near5 (packet message communication data request ) with ((decoy duplicat\$3 replicat\$3 clon\$3 simulat\$3 vicarius imitat\$3 mimic\$2 proxy test) near5 (device system host server machine computer PC)) ) AND (@ad< "20031030" @rlad< "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/23 10:06
S93	34	((scan\$4 detect\$3 check\$3 determin\$5 exam\$5 identif\$4 pars\$3) with (virus worm threat attack\$3 malicious vulnerab\$6 amomal\$4 malware) with (message data communication packet)). ab. AND ((\$3direct\$3 divert\$4 forward\$4 transmit\$4) near5 (packet message communication data request ) with ((decoy duplicat\$3 replicat\$3 clon\$3 simulat\$3 vicarius imitat\$3 mimic\$2 proxy test) near5 (device system host server machine computer PC)) ) AND (@ad< "20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/23 10:18

		@rld<"20031030")				
S94	34	((scan\$4 detect\$3 check\$3 determin\$5 exam\$5 identif\$4 pars\$3) with (virus worm threat attack\$3 malicious vulnerab\$6 amomab\$4 malware) with (message data communication packet)). ab. AND ((\$3direct\$3 divert \$4 forward\$4 transmit\$4) near\$5 (packet message communication data request ) with ((decoy duplicat\$3 replicat\$3 clon\$3 simulat\$3 vicarius imitat\$3 mimic\$2 proxy test) near\$5 (device system host server machine computer PC network)) ) AND (@ad<"20031030" @rld<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/04 16:49
S95	47	((scan\$4 detect\$3 check\$3 determin\$5 exam\$5 identif\$4 pars\$3) with (virus worm threat attack\$3 malicious vulnerab\$6 amomab\$4 malware) with (message data communication packet)). clm. AND ((\$3direct\$3 divert \$4 forward\$4 transmit\$4) near\$5 (packet message communication data request ) with ((decoy duplicat\$3 replicat\$3 clon\$3 simulat\$3 vicarius imitat\$3 mimic\$2 proxy test) near\$5 (device system host server machine computer PC network)) ) AND (@ad<"20031030" @rld<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/04 16:53

## EAST Search History (Interference)

&lt; This search history is empty&gt;

4/ 4/ 2011 5:05:07 PM

C:\ Documents and Settings\ lpham7\ My Documents\ EAST\ Workspaces\ 10\ 10-576-250.wsp